



CHEMOTHERAPY?



BEFORE AND DURING CHEMO-TREATMENT

"To sell chemotherapy as a 'therapy' is most likely the biggest deceit in the history of medicine. Whoever masterminded this chemo-torture deserves a monument in hell."


Dr. Ryke Geerd Hamer

"As a chemist trained to interpret data, it is incomprehensible to me that physicians can ignore the clear evidence that chemotherapy does much, much more harm than good."

-- Alan Nixon, Ph.D., Past President of The American Chemical Society

“Establishment medicine, with little or no evidence to support their barbaric use of these highly toxic drugs, continues to make fortunes while their patients spend their last days vomiting, debilitated, baldheaded and without dignity.”

Robert E. Willner M.D., Ph.D.



More than 1,300 breast and lung cancer patients died because of chemotherapy in 2014, the study shows CREDIT: ALAMY

“Patients should be warned about the dangers of chemotherapy after research showed that cancer drugs are killing up to 50 per cent of patients in some hospitals. For the first time researchers looked at the numbers of cancer patients who died within 30 days of starting chemotherapy, which indicates that the medication is the cause of death, rather than the cancer.”

The Telegraph, August 30, 2016



“Have you ever seen a chemotherapy room in a hospital? I hope you haven’t. It’s death row. If you were to lift her gown, you would see that the woman’s arm makes a heroin addict’s arm look attractive. There are so many attachments. What you have here is a situation where the woman is first tortured and then dies. Why? Because this is what is required by law. If doctors don’t stick to standard procedure, the consequences are that they could lose their livelihood, their reputation, and face ruin. So they are obliged to repeat a failed experiment over and over again. Josephine had chemotherapy and a gigantic operation and every procedure you can imagine; every ‘oscopy’ there is. Grotesque. Medieval” (Lord Saatchi after the death of his wife, novelist Josephine Hart).
– *The Telegraph*, April 28, 2013



The Contribution of Cytotoxic Chemotherapy to 5-Year Survival in Adult Malignancies

The authors of this study found that the contribution of chemotherapy to 5-year survival in adults was 2.3 percent in Australia, and 2.1 percent in the USA. They emphasize that, for reasons explained in detail in the study, these figures “should be regarded as the upper limit of effectiveness” (*Clinical Oncology*, 2004).

Table 1 – Impact of cytotoxic chemotherapy on 5-year survival in Australian adults

Malignancy	ICD-9	Number of cancers in people aged >20 years*	Absolute number of 5-year survivors due to chemotherapy†	Percentage 5-year survivors due to chemotherapy‡
Head and neck	140–149, 160, 161	2486	63	2.5
Oesophagus	150	1003	54	4.8
Stomach	151	1904	13	0.7
Colon	153	7243	128	1.8
Rectum	154	4036	218	5.4
Pancreas	157	1728	–	–
Lung	162	7792	118	1.5
Soft tissue sarcoma	171	665	–	–
Melanoma of skin	172	7811	–	–
Breast	174	10 661	164	1.5
Uterus	179 + 182	1399	–	–
Cervix	180	867	104	12
Ovary	183	1207	105	8.7
Prostate	185	9869	–	–
Testis	186	529	221	41.8
Bladder	188	2802	–	–
Kidney	189	2176	–	–
Brain	191	1116	55	4.9
Unknown primary site	195–199	3161	–	–
Non-Hodgkin's lymphoma	200 + 202	3145	331	10.5
Hodgkin's disease	201	341	122	35.8
Multiple myeloma	203	1023	–	–
Total		72 903 [§]	1690	2.3%

*Numbers from Ref. [21].

†Absolute numbers (see text).

‡% for individual malignancy.

§Total for Australia 1998 = 80 864 people.

Table 2 – Impact of cytotoxic chemotherapy on 5-year survival in American adults

Malignancy	ICD-9	Number of cancers in people aged >20 years*	Absolute number of 5-year survivors due to chemotherapy†	Percentage 5-year survivors due to chemotherapy‡
Head and neck	140–149, 160, 161	5139	97	1.9
Oesophagus	150	1521	82	4.9
Stomach	151	3001	20	0.7
Colon	153	13 936	146	1.0
Rectum	154	5533	189	3.4
Pancreas	157	3567	–	–
Lung	162	20 741	410	2.0
Soft tissue sarcoma	171	858	–	–
Melanoma	172	8646	–	–
Breast	174	31 133	446	1.4
Uterus	179–182	4611	–	–
Cervix	180	1825	219	12
Ovary	183	3032	269	8.9
Prostate	185	23 242	–	–
Testis	186	989	373	37.7
Bladder	188	6667	–	–
Kidney	189	3722	–	–
Brain	191	1824	68	3.7
Unknown primary site	195–199	6200	–	–
Non-Hodgkin's lymphoma	200 + 202	6217	653	10.5
Hodgkin's disease	201	846	341	40.3
Multiple myeloma	203	1721	–	–
Total		154 971	3306	2.1%

*Numbers from Ref. [22].

†Absolute numbers (see text).

‡% for individual malignancy.



“No chemotherapy drug has ever actually cured or resolved the underlying causes of cancer. Even what mainstream medicine considers ‘successful’ chemotherapy treatments are only managing symptoms, usually at the cost of interfering with other precious physiological functions in patients that will cause side effects down the road. There is no such thing as a drug without a side effect” (*Waking Times*, January 18, 2013).



Study Reveals Chemotherapy Hastened or Caused Deaths of Many

By Reuben Chow, *Natural News*, February 02, 2009



Doctors say many patients start chemotherapy without being fully informed about the procedure. (ABC)


Chemotherapy contributes to a quarter of cancer deaths

ABC News, November 2008



The chemical war against cancer goes back to the First World War

Christian Bachmann: *Die Krebsmafia*, 1986



How scientific are orthodox cancer treatments?

Walter Last © 2004

Nexus Magazine, Volume 11, Number 4 (June-July 2004)



Chemotherapy – Treatment without Effect

German News Magazine *Der Spiegel*, 04.10.2004

“Should I ever get cancer, I would never ever allow myself to be treated in a conventional cancer clinic. Only cancer victims who stay away from such centres would have a chance of survival.” – Prof. Dr. Georges Mathé, Oncologist

From 1962-1965, Dr. Georges Mathé, M.D., was president of the *European Organization for Research and Treatment of Cancer (EORTC)*. In 1985, Prof. Mathé was cured of his bronchial carcinoma with the help of Dr. Hamer. In spite of having experienced the benefit of German New Medicine first hand, Prof. Mathé continued to treat his cancer patients – thousands of them – with Chemotherapy.

“The majority of cancer patients in this country die because of chemotherapy, which does not cure breast, colon or lung cancer. This has been documented for over a decade and nevertheless doctors still utilize chemotherapy to fight these tumors” (Allen Levin, MD, UCSF, *The Healing of Cancer*, Marcus Books, 1990).

The vast Majority of Oncologists would NOT use Chemotherapy if they got Cancer

75% of Americans diagnosed with cancer are said to receive chemotherapy treatment, prescribed by their oncologists.

75% of oncologists also said that if they had cancer, they themselves **would NOT use chemotherapy treatment.**

(obtained from McGill Cancer Center survey (1986), in: John Robbins, *Reclaiming Our Health*, 1998)

Source: www.LearningGNM.com